






Retail prices as of November 2026. Prices and availability subject to change without notice. Not an offer or contract; call (701) 432-1000 for a current quote.


WEARPARTS / NICHOLS


RETAIL

	PART	RETAIL
	**WP 15045LIHLR CNH 2100 Disc Opener 15" x 4.5mm** Nichols CNH 15" Opener; (Double-row bearing); OEM p/n 48118295 & 47592277.	$55.00
	**WP 08026DIHM CNH Covering disc 8" x 2.6mm** Nichols Covering Disc Assembly; 8" x 2.6mm; 204 bearing for 5/8" bolt; Furnished with dust cap; Applications: Case-IH (Covering disc).	$29.00
	**WP HS13CP 2" SNGL Carbide Tip** Nichols Single-end chisel for chisel plows; 1" x 2" x 13"; 1/2" holes on 2-1/4" centers; with chromium carbide nose cap.	$65.00
	**WP RA8 HF Dbl End Chisel 4" Beaver** Nichols Double-end wrap-around chisel for chisel plows; 1/2" x 4" x 16"; 1/2" slots on 2-1/4" - 2-1/2" centers; hardfaced.	$36.00
	**WP UWQC7B HFS 7" Hard Face Sweep** Nichols Sweep for Field Cultivators; 1/4" x 7"; Ultrawing; Quick Change shank; hardfaced on bottom and shank.	$24.00
	**WP UWQC9B HFS 9" Hard Face Sweep** Nichols Sweep for Field Cultivators; 1/4" x 9"; Ultrawing; Quick Change shank; hardfaced on bottom and shank.	$25.50
	**WP UWQL7B HFS JD 7" Hard Face Sweep** Nichols Sweep for Field Cultivators; 1/4" x 7"; Ultrawing; Quick-Loc shank; hardfaced on bottom and shank. (JD Permaloc)	$25.00
	**WP RB7JDKO 7" Knock-On JD Permaloc Chrome Carbide Cast Extreme Wear** Richmond Brothers John Deere Permaloc™ 7" Ultimate Field Cultivator Sweep (RB7JDKO)	$42.00
	**WP RB7KO 7" Knock-On Nichols Style Chrome Carbide Cast Extreme Wear** Richmond Brothers Ultimate 7" Nichols Quick Change Sweep (RB7KO)	$40.00
	**WP RB9KO 9" Knock-On Nichols Style Chrome Carbide Cast Extreme Wear** Richmond Brothers Ultimate 9" Nichols Quick Change Sweep (RB9KO)	$45.00
	**WP RB4S 4" Sweep Field Cultivator** Richmond Brothers Fits Salford/JD, Built for 47-degree shanks, 1 3/4" bolt spacing, 7/16 bolt	$32.00

PART	RETAIL
 **WP RBBT Dbl End Chisel Beaver (Richmond Brothers)** Richmond Brothers Reversible Beaver Tail Chisel Plow point, pre-molded 1/2 hex head bolt mounts	**$100.00**
 **WP 1277891C92-9L Shark Tooth Left hand Closing Assembly** 9" x 5mm Shark Tooth Closing Disc, fits CNH 1200 and 2100 series planters	**$50.00**
 **WP 1277891C92-9R 9" Shark Tooth Right hand Closing Assembly** 9" x 5mm Shark Tooth Closing Disc, fits CNH 1200 and 2100 series planters	**$50.00**
 **WP CW124594U Salford 20" 8 Wave Blade** Wear Parts 20" x 4.5mm, 8 wave Coulter Blade 5 on 5-1/2", 4" Pilot, 1/2" Bolt	**$64.00**
 **WP CW135094W Salford 22" 8 Wave Blade** Wear Parts 22" x 5mm, 8 Wave Coulter, 5 on 5-1/2", 4" Pilot, 1/2" Bolt, to Fit Salford (RTS Series, 575RTS, I-2100, I-2200, I-4100, I-4200/ 5 Bolt Hub & Enforcer 5200; Replaces 10010768, CT512208)	**$69.00**
 **WP DNF126566C5 Kwik Till & JD 2680H, Notched Blade** Wear Parts 20" x 6.5mm to Fit Norwood Kwik- Till & JD High Speed Disc Notched Flat Back Disc Blade | #5NS90340002, #90-34-0002	**$74.00**
 **WP DSF126566C5 Kwik Till & JD High 2680H, Smooth Blade** Wear Parts 20" x 6.5mm, 1.90" Concavity to Fit Norwood Kwik-Till & JD High Speed Smooth Flat Back Disc Blade | OEM#5NS90340003	**$74.00**
 **WP DSF126554D4 Degelman / Kinze Pro-Till, Smooth Blade** Wear Parts 20" x 6.5mm to Fit Degelman/Kinze Pro-Till High Speed Disc Smooth Flat Back Disc Blade | #143556	**$74.00**
 **WP DNF126554D4 Degelman / Kinze Pro-Till, Notched Blade** Wear Parts 20" x 6.5mm to Fit Degelman/Kinze ProTill High Speed Disc Notched Flat Back Disc Blade | #143557	**$74.00**
 **WP 700172776BA White 9000 Opening Disc** Wear Parts 15.8" x 3.5mm Assembly, 9000 Series, Wearparts Blade	**$55.00**
 **WP 90325367SX(CNH Leading Disc 14" x 4.5mm** Wear Parts Leading14" x 4.5mm Assembly Integrated Double Row Bearing/Housing | Wearparts Blade | to Fit Case IH 1200 Series	**$52.50**
 **WP 90325368SX(CNH Trailing Disc 14" x 4.5mm** Wear Parts Trailing14" x 4.5mm Assembly Integrated Double Row Bearing/Housing | Wearparts Blade | to Fit Case IH 1200 Series	**$52.50**
 **WP AA65248HDBA(JD XP 3.5 MM Opening Disc** Wear Parts 15" x 3.5mm Assembly XP 204 Double Row Bearing, Maximum Duty, Wearparts Blade Compatible Dust Caps: A78218BA / 324180A1BA	**$43.50**
 **WP SPC18100RC 18" Reversible All Chrome Chisel Plow Spikes** Wear Parts 18" x 2-1/4" x 1-3/4" Reversible All Chrome, (2) 1/2" Hex Head Bolts on 2-1/4" Centers Chisel Plow Spike Weight: 12.7	**$84.00**

	PART	RETAIL
	**WP 6006RK bearing (U-4-B) Replaces: Yetter: 2570-594 (4Bolt Hub), John Deere: AA38601,Case-IH: 108134A1, Koyo #: DAC30552RKC4, Industry #: 5106WCC, Industry #: DF0654LLU, Nachi#: 30BG05S5DS, NTN#: DF0654LU** Double Row Ball Bearing, Fits JD Row Cleaner and Yetter TrashMaster Replaces: John Deere: AA38601, Yetter: 2570-594, Case-IH: 108134A1, Koyo #: DAC30552RKC4, Industry #: 5106WCC, Industry #: DF0654LLU, Nachi#: 30BG05S5DS, NTN#: DF0654LU	**$24.00**
	**WP AGHUB020 Hub Unit for disc blade, replaces Peer # HUB20-011-A, Yetter # 2965-500** Flange Diameter: 100mm 8 threaded holes (5/16"-18UNC) equal spaced on Pitch Circle Diameter: 3-1/4" Stud thread 5/8"-11, length 1-3/8"	**$49.00**
	**WP 5203KMF Extreme 6-Lip Seal, cast closing/ gauge whl brg (replaces 756237) (U-4-B)** Ball bearing, double row angle contact, with extreme 6 lips seal. Used on closing wheel or gauge wheel. Replaces Peer "seedextreme" # 5203KMF	**$20.00**
	**WP 5203KYY2 JD gauge wheel bearing (U-4-A)** Double Row Ball Bearing, O.D. 40mm, with triple lips seals on both sides. Used on closing wheel or gauge wheel.	**$8.50**
	**WP 5203TN1 JD closing whl brg - KBT replaces JD double brg (U-4-A)** Double Row Ball Bearing, for P43898 Closing Wheel Assembly, One-piece design replaces both bearing 203JD and 62032RST. Replaces:JD#AA34132, AA61722	**$8.95**
	**WP UHMW16-R Poly Closing Wheel Spiked Ring** Closing Wheel Spike Ring, 16 teeth, made from Ultra High Molecular Weight Poly Plastic (UHMWPE), with high wear resistance, high anti-impact strength and high anti-corrosion. Prolongs life several times than traditional rubber one. Fit John Deere or Kinze Closing Wheel Nylon Rims. Outer Diameter : 13-7/8" Teeth thickness : 20mm	**$49.00**
	**WP CSPIKE16 Cast Closing Wheel Assembly,16 tooth** Spike Closing Wheel Assembly, made by entire casting. ,16 teeth, . Fits Kinze®1993 and newer. John Deere MaxEmergePlus, Pro, XP and XP Pro; 1530 and 1535. Monosem Plus. White 6000 and 8000 planters. Case-IH grain drills; SDX30 and SDX40 air drills. Outer Diameter : 13-7/8" Teeth thickness : 20mm Features: - Spike teeth design solves soil sidewall impact problem and improves seed trench closure even in the most severe conditions. Enhances seed to soil contact and helps to prevent yield-robbing air pocket. - Spike teeth are hardened for long wearing. With 5203KMF Xtreme 6 Lip Seal Bearing INFINITY AG Branded Wheels	**$110.00**
	**WP P39968 Closing wheel assembly 1 x 12 with brg & plastic halves (U-1-A)** Closing wheel assembly, 1" x 12", consists of 40mm double row ball bearing, Nylon plastic halves and rubber tire. Fits Kinze®1993 and newer. John Deere MaxEmergePlus, Pro, XP and XP Pro; 1530 and 1535. Monosem Plus. White 6000 and 8000 planters. Case-IH grain drills; SDX30 and SDX40 air drills. Replace Kinze #GA6434 , John Deere #AA39968, Monosem #7074.N, White # 854262, Case-IH # 87695406	**$38.00**
	**WP 99800KIT CNH scraper kit w/carbide (12XX Series Early Riser)** Disc opener Scraper Kit, Consists of 2 scrapers with tungsten carbide insert & 2 arms. Fit Case-IH 1200,955,900,5400,800,950,5000 planter.	**$35.00**
	**WP P84243285 CNH Seed Shoe, bottom edge hardened** Seed Shoe, working with Firming Point #P436702. Fit Case-IH 1200,955,900,5400,800,950,5000 planter. Replaces OEM #84243285. Feature: bottom edge hardened	**$35.00**
	**WP P436702 CNH 1200 Series Liquid Firming Point** Seed Furrow Firming Point, made from Chrome Alloy with extra hardness. Fit Case-IH 1200,955,900,5400,800,950,5000 planter. Replaces Case-IH #436702A1, 47704456	**$59.00**

	PART	RETAIL
	**WP P87673693 Gauge Wheel Assembly , 3" X 16", spoke, RID tire (CNH)** Spoke Gauge Wheel Assembly, 3" X 16", with reduced inner diameter rubber tire, tri-spoke rim and 40mm double row ball bearing (5/8" bore). Fit CASE-IH planter and air seeder drill. Replaces Case-IH OEM #87673693. Features of Tri-Spoke : -Easy installation and maintenance-Wide Open spoke allows soil and residue to flow through without plugging-Ductile Iron casting spoke handles high load capacities-Anti-clockwise threaded dust cap to protect bearing-Allow for quick bearing replacement	**$99.00**
	**WP P87604747 Open Spoke gauge wheel assembly, 4.5" x 16" with RID tire (CNH)** Spoke Gauge Wheel Assembly, 4.5" X 16", with reduced inner diameter rubber tire, tri-spoke rim and 40mm double row ball bearing (5/8" bore). Fit CASE-IH planter and air seeder drill. Replaces Case-IH OEM #87604747. Features of Tri-Spoke : -Easy installation and maintenance-Wide Open spoke allows soil and residue to flow through without plugging-Ductile Iron casting spoke handles high load capacities-Anti-clockwise threaded dust cap to protect bearing-Allow for quick bearing replacement 72 / pallet std 2 bolt spoke	**$99.00**
	**WP CG203KRR2-R3 CNH Closing disc spring bearing (12XX Series Early Riser) (Q-4-C)** CNH Closing disc spring bearing (12XX Series Early Riser) Ball Bearing, 0.64" Bore used in Planters, Gauge Wheel, Rotary Hoe, Also used in H11031 Assy. FAFNIR: 203KRR2 , BCA: 203RRAR10, Link-Belt: 126115, Case: F16246, 149261C91, Ford: 222279, Gehl: 520117, IHC: 666624R91, 149261C91, John Deere: AN142670, AN281357, JD9214, AA82881, Great Plains: 822-095C, Lilliston: 20-50-006, New Holland: 66553, White: 2SH862	**$8.00**
	**WP P87610678 6.5" X 12", with 5/8" ID bearing, two nylon rims. Fit Case-IH 800, 900, 950, 955, 1200 series planters; 5400, 5500 Soybean Special.** Press Closing wheel assembly, 6.5" X 12", with 5/8" ID bearing, two nylon rims. Fit Case-IH 800, 900, 950, 955, 1200 series planters; 5400, 5500 Soybean Special. Also Fits John Deere Planter Maxmerge XP, 1700 Plus. Replaces Case OEM #87610678	**$105.00**
	**CNH 1200 Series Firming Point** • Fits Case IH Drill(s) 5400 (Soybean Special), 5500 (Soybean Special) • Fits Case IH Planter(s) 800, 900, 950, 955, 1200 • Fits New Holland Planter(s) SP280, SP380, SP480, SP580 • Replaces Case IH OEM Number(s) 436702A1, 91265C1, 47704456 • Replaces New Holland OEM Number(s) 436702A1 • Heat treated	**$18.00**
	**WP P52092 Lower Parallel Arm 16" / pressed in Bushings** Lower Parallel Arm, 15-3/4" Length. Connecting holes are embedded with hardened bushing to protect wearing. Fits John Deere Planter Models 7200,7300,1700,1760,1780, Maxemerge XP & Attachment. Replaces OEM # A52092. Features: Dual Bushings, Dual Wear 1. Dual bushings, Outer bushing (embedded) & Inner bushing #P49465 (sell separately) 2. The outer one is harder than the inner one to lead inner one to wear out firstly.	**$105.00**
	**WP P65304 Lower Parallel Arm 23" / pressed in Bushings** Lower Parallel Arm, 23" Extended Length. Connecting holes are embedded with hardened bushing to protect wearing. Fits John Deere Planter Models 7200,7300,1700,1760,1780, Maxemerge XP & Attachment. Replaces OEM # A65304, A84382 Features: Dual Bushings, Dual Wear 1. Dual bushings, Outer bushing (embedded) & Inner bushing #P49465 (sell separately) 2. The outer one is harder than the inner one to lead inner one to wear out firstly.	**$255.00**
	**WP PABB01 Parallel Linkage Rebuild Kit or PLT241100 (U-3-C)** Parallel link Arm Bolt & Bushing Replacement Kit, consists of 6pcs- #P48515 Bushing, 2pcs-#P49465 bushing,4pcs-#M16X45 bolt, 4pcs-#M16X56 bolt and 8pcs-#M16 full metal lock nut.	**$45.00**
	WP P61571 Upper Parallel Arm 23" Upper Parallel Arm, 23" Length. Connecting holes are embedded with hardened bushing to protect wearing. Fits John Deere Planter Models 7200,7300,1700,1760,1780, Maxemerge XP & Attachment. . 2 per row. Replaces OEM # A61571 Features: Dual Bushings, Dual Wear 1. Dual bushings, Outer bushing (embedded) & Inner bushing #P49465 (sell separately) 2. The outer bushing is harder than the inner bushing to lead the inner one to wear out firstly.	**$35.00**
	**WP P76223 Upper Parallel Arm 16"** Upper Parallel Arm,15-3/4" length. Connecting holes are embedded with hardened bushing to protect wearing. Fits John Deere Planter Models 7200,7300,1700,1760,1780, ME2, XP, ME5& Attachment. 2 per row. Replaces John Deere #A76223, Precision Planting #753013 Features: Dual Bushings, Dual Wear 1. Dual bushings, Outer bushing (embedded) & Inner bushing #P48515 (sell separately) 2. The outer bushing is harder than the inner bushing to lead the inner one to wear out firstly.	**$23.00**
	**WP P97867 Self Aligning Threaded Gauge Wheel Arm Bushing 1" Hole, New Style (U-2-B) to use P92817 on tin shanks / stud** Gauge Wheel Arm Self-Aligning Threaded Bushing, 1" bore size, new style, Replaces OEM# A97867	**$9.00**

PART	RETAIL
 **WP P92817 Gauge Wheel Arm Kit (U-C) Fits John Deere MaxEmerge®XP, XP Pro; 1530, 1535 with XP row units.. Replaces OEM # A92817, A79648** Gauge Wheel Arm Kit, new bushing style, consists of Arm, threaded bushing with 5/8" Hole, M16X100 bolt, M16X70 bolt, 1 washer and 4 shims. Threaded hole (M16) on wheel connecting end. Fits John Deere MaxEmerge®XP, XP Pro; 1530, 1535 with XP row units.. Replaces OEM # A92817, A79648 Feature: Arm forged from C1045 Steel, better than iron casting	**$33.50**
 **WP P90344 Kit Gauge Wheel Walking Depth Control Handle Kit (U-3-B)** Gauge Wheel Walking Depth Control Handle Kit, consists of handle, spring and snap ring. Fit John Deere MaxEmerge Plus, XP Models 1700-1750, Air Seeder/Drill Models 1530-1535. Replaces OEM #A90344, A46790,A54768	**$25.00**
 **WP P609 Walking Gauge Wheel Rocker (U-3-A)** Rocker for gauge wheel walking depth control, used with Pivot P772 and Bolt P670. Fits John Deere Planter Maxemerge Plus and Maxemerge Pro, XP Pro, 1530, 1530. Replaces OEM NO. A62609	**$14.00**
 **WP P670 Bolt for Walking Gauge Wheel Depth Control (U-3-B)** Bolt for gauge wheel walking depth control,used with Pivot P772 and Rocker P609. Fits John Deere Planter Maxemerge Plus and Maxemerge Pro, XP Pro, 1530, 1530. Replaces OEM NO. A58670	**$2.75**
 **WP P772B Pivot Arm ONLY, for gauge wheel depth control** Pivot for gauge wheel walking Depth Control, used with Rocker P609 and Bolt P670. Fits John Deere Planter Maxemerge Plus and Maxemerge Pro, XP Pro, 1530, 1530. Replaces OEM NO. A82772 Made it by forging now and bolt hole bore is very smoth.	**$16.00**
 **WP P62559K JD Tungsten Carbide Scraper Kit (U-3-A)** Tungsten Carbide Disc Opener scraper kit, Includes (2) arms, spring, (2) tungsten scraper blades, hardware, Fits John Deere Planter Model: 1530,1535,1700,1720,1730,1760, 1789,1790,7100,7200,7300,7340. Replaces OEM # AA62559,A69139,A69140,A50047	**$29.00**
 **WP P64237 Closing Wheel Handle (U-3-C)** Closing Wheel Arm Handle, zinc plated. Fits John Deere MaxEmerge®Plus, Pro, and XP planters; 1530 and 1535 John Deere grain drills. Replaces OEM #86762	**$11.75**
 **WP P2204B Bushing JD Closing Wheel Handle (U-2-A)** Handle Bushing, use with P55143 Pin On P86763 Closing Wheel Arm, 2 Per Arm. Replaces OEM# H2204B ID 0.3975" (10mm) OD 0.627" (16mm) Height 1.1"(28mm)	**$1.85**
 **WP P55143 Pin JD Closing Wheel Handle (U-2-A)** Pin, used with handle on P86763 Closing Wheel Arm, Fits John Deere Planters 1700 Maxemerge Plus Unit, Replaces OEM# AA55143	**$4.00**
 **WP P74643 Closing Wheel Spring (U-5-A)** Closing Wheel Spring, For John Deere Planters, Fits Maxemerge- Plus, Pro, XP Pro, 1530, 1535, 7200, 7300, 1760, 1780, Replaces OEM# A57290, A47132	**$8.75**
 **WP P55889 Closing Wheel Arm Stop (U-3-C)** Closing Wheel Arm Stop, for John Deere Planters, Fits Maxemerge Plus, Pro, XP; Also For John Deere Grain Drills, Fits 1530, 1535 Replaces OEM# A55889, A87426	**$28.00**
 **WP P86763 Closing wheel arm (U-6-A)** Closing wheel arm (frame) , made from steel casting .Fits John Deere MaxEmerge®Plus, Pro, and XP planters; 1530 and 1535 John Deere grain drills. Replaces OEM #A69141, A86763.	**$59.00**
 **WP PR3142 Tail Wheel Repair Kit (U-2-A) or CWRK01** Closing Wheel Arm Repairing Kit, consists of 2pcs bearing 203KRR5-R3 (0.515" bore) ,2pcs bearing housing (for welding on arm), 2pcs M12X50 bolts with lock nuts, 8pcs shims , 2pcs large area washers. Note : welding needed Feature : Bearing with double lips seal and metal shield to prevent dust or mud.	**$39.00**

PART	RETAIL
 **WP P84062 Gauge Wheel Tire, 4.5"x16", 7/8" Deep Lip** Gauge Wheel Tire, 4.5" x 16", with Standard Profile Offset, 7/8" Deep Lip. Fits John Deere planters XP, XP Pro row units; 1530, 1535 with XP. John Deere drills late 1590, 1690, 1835, 1890, 1895, 1990. Also Fits Kinze® planters. Replace OEM # John Deere A84062. 1 pallet minimum (Qty.72)	**$44.00**
 **WP P98187 Open spoke gauge wheel 4.5" x 16"** Spoked Gauge Wheel Assembly, 4.5" X 16", with casting iron spoke and stamping metal rims. Installed 40mm double row ball bearing, triple seals. Fit John Deere MaxEmerge™ XP, XP Pro, MaxEmerge™ 5, Exact Emerge™; Kinze 1993 and later; White 8000; John Deere drills 750, 1560, 1590, 1690, 1850, 1860, 1890, 1895, 1990. Replace OEM # AA86055, AA98187 -Easy installation and maintenance -Wide Open spoke allows soil and residue to flow through without plugging -Ductile Iron casting spoke handles high load capacities -Anti-clockwise threaded dust cap to protect bearing -Allow for quick bearing replacement 72 / pallet std 2 bolt spoke	**$99.00**
 **WP P98188 open spoke gauge wheel 3" x 16"** Narrow Spoked Gauge Wheel Assembly, 3"X 16", with casting tri-spoke hub, stamping metal rims and 40mm Double Row Ball Bearing, triple seals. Fit John Deere Grain Drills 750, 1560, 1590, 1690, 1835, 1850, 1860, 1890, 1895, 1990. 2510H applicator. Narrower design allows unit to run on cleaner seed bed and allows clearance for trash. Great for narrow row soybean planters. Replace OEM #AA85465, AA98188 -Easy installation and maintenance -Wide Open spoke allows soil and residue to flow through without plugging -Ductile Iron casting spoke handles high load capacities -Anti-clockwise threaded dust cap to protect bearing -Allow for quick bearing replacement 96 / pallet std 2 bolt spoke	**$99.00**
 **WP P98187 IA Open spoke gauge wheel 4.5" x 16"** Spoked Gauge Wheel Assembly, 4.5" X 16", with casting iron spoke and stamping metal rims. Installed 40mm double row ball bearing, triple seals. Fit John Deere MaxEmerge™ XP, XP Pro, MaxEmerge™ 5, Exact Emerge™; Kinze 1993 and later; White 8000; John Deere drills 750, 1560, 1590, 1690, 1850, 1860, 1890, 1895, 1990. Replace OEM # AA86055, AA98187 -Easy installation and maintenance -Wide Open spoke allows soil and residue to flow through without plugging -Ductile Iron casting spoke handles high load capacities -Anti-clockwise threaded dust cap to protect bearing -Allow for quick bearing replacement INFINITY AG Branded 3 bolt spoke (72 / Pallet)	**$109.00**
 **WP P98188 IA Open spoke gauge wheel 3" x 16"** INFINITY AG Branded 3 bolt spoke (96 / Pallet)	**$109.00**
 **WP P66604 Gauge Wheel Solid , 4.5" X 16" metal & nylon rim** Gauge Wheel Assembly, 4.5" X 16", One Metal Rim, One Nylon Rim and 40mm double row ball bearing. Fits John Deere MaxEmerge™XP, XP Pro; 1530 and 1535 with XP. Also Fit Kinze 1993 and later. Replace OEM# John Deere AA66604	**$99.00**
 **WP P66988, Gauge Wheel Solid 3"X16", metal & nylon rim** Narrow Gauge Wheel Assembly, 3"X 16", with one metal rim, one nylon rim and 40mm double row ball bearing. Fit John Deere Grain Drills 750, 1560, 1590, 1690, 1835, 1850, 1860, 1890, 1895, 1990. 2510H applicator. Narrower design allows unit to run on cleaner seed bed and allows clearance for trash. Great for narrow row soybean planters. Replace OEM #AA66988, 87673693	**$99.00**
 **WP P61577 Seed Guard, for JD 1700 Planters and All Kinze Planters Except 3000 Series, Replaces OEM# PA61577** Seed Guard With Bracket, for John Deere 1700 Series Planters and All Kinze Planters Except 3000 Series, Replaces OEM# PA61577	**$7.75**
 **WP Seed Tube Guard P80203 (U-3-B)** Seed Guard, For John Deere XP Shank, Maxemerge, XP Row Unit Planters, Replaces OEM# A80203	**$13.00**
 **2967-0001 Air Assist Cylinder** In-cab control system for floating row cleaners. Repairable cylinder.	**$185.00**

	PART	RETAIL
	**WP ACY2X2 Air Cylinder, 2" x 2", used on row cleaner, (1/4"-1/4" NPT ports)** Air Cylinder, used on farm planting equipment row cleaning system. Replaces Precision Planting "CleanSweep" #755203. Specification: Bore size: 2" Rod size: 5/8" Stroke size: 2" Retracted size: 9-1/2" Port: 1/4" - 1/4"NPT (push to connect) Feature : 1) Dust Cover is made from three-proof cloth, last longer than rubber. 2) Heavy duty "Square" shape Clevis	**$149.00**
	**WP P65248-205 Disc Opener Assembly, 15" diameter, 3.5mm (.138") thick, with 205 series double row ball bearing (5/8"bore).Fits John Deere planters Models XP and XP Pro row units. Replaces OEM # John Deere AA65248** Disc Opener Assembly, 15" diameter, 3.5mm (.138") thick, with 205 series double row ball bearing (5/8"bore).Fits John Deere planters Models XP and XP Pro row units. Replaces OEM # John Deere AA65248 Fitting dust cap is not included. Metal # P22836 Rubber # 52024. Order separately. Feature : 1) Disc blade made from boron steel, made in Italy, OEM quality. 2) with 205 series Double row ball Bearing,52mm O.D, heavy duty, from John Deere approved manufacturer, made in China. 3) Assembled in USA.	**$39.00**
	**Rubber Dust Cap , used on P65248-205 disc operner, (P52024)** Rubberized Plastic Dust Cap, for Disc Opener with 205 series bearing hub unit. Also fits Covering Disc Blade Assembly P8IHCD, P6000, P6001 Replaces OEM# John Deere A52024	**$1.00**
	**WP P48879 Deflector for double disc opener (80022) (U-3-C)** Deflector for Disc Opener, For John Deere Planter, fits Models 1700 Series, Pro, XP, XP Pro, Replaces OEM# A48879	**$10.25**
	**WP P128341L Left Hand Opening Disc Stud - A79254 (U-4-A)** Double Threads Stud Bolt, M16-2,left hand,grade 10.9. For connecting disc opener on Shank. Fits John Deere MaxEmerge XP, pro-series XP planter. Replaces JD # A128341, A79254	**$8.50**
	**WP P128342R Right Hand Opening Disc Stud A78210 (U-4-A)** Double Threads Stud Bolt,M16-2,right hand, grade 10.9. For connecting disc opener on Shank. Fits John Deere MaxEmerge XP, pro-series XP planter. Replaces JD # A128342, A78210	**$8.50**
	**WP P62767 Row Unit Shank body, whole piece casting, fits John Deere MaxEmerge XP, pro-series XP planter. Replaces JD #AA62767** Row Unit Shank body, whole piece casting, fits John Deere MaxEmerge XP, pro-series XP planter. Replaces JD #AA62767 Note : Disc opener axle studs are not included	**$199.00**
	**WP P83257 Row Unit Shank Head, fits John Deere MaxEmerge XP, pro-series XP planter. Replaces John Deere #A83257,A93644** Row Unit Shank Head, fits John Deere MaxEmerge XP, pro-series XP planter. Replaces John Deere #A83257,A93644	**$149.00**
	**WP P40934 Row Unit Mounting Bracket, 340mm wide, material thickness 8mm. Fit John Deere MaxEmerge/ Pro-series XP planter and Air Seeder Drill. Replaces JD OEM # AA40934** Row Unit Mounting Bracket, 340mm wide, material thickness 8mm. Fit John Deere MaxEmerge/ Pro-series XP planter and Air Seeder Drill. Replaces JD OEM # AA40934 Feature:One-piece fabricated, no welding.	**$99.00**
	**U-Bolt, Zinc plated, Replaces OEM# John Deere A22561 & 1250813C1, KINZE# GD1114 (P5877)** U-Bolt, Zinc plated, Replaces OEM# John Deere A22561 & 1250813C1, KINZE# GD1114 Thread size A:5/8", Tool bar size B:7", Overall length C:8-1/2", Thread length D:1-1/2"	**$8.50**
	**JD Row Command electric clutch gear Unit #AA81649, (P81649)**	**$399.00**

PART	RETAIL
 **Hydraulic Oil Cooler Kit** Kit includes: -Radiator with fans -Brackets and U-bolts to mount -Wiring relays to control fan speed -All Hydraulic fittings and hose crimp ends supplied in kit (includes pressure bypass to case drain)	**$3,995.00**